



CHECKERS

Justrite Safety Group

SUPER HOSE BRIDGE SYSTEMS

PRODUCT INFORMATION BROCHURE






PICTURED: CHHBS IN USE (LEFT)
CHWSHBS IN USE (TOP)

Checkers™ Cable Management offers the most extensive line of high performance cable/hose protection products in the world. These durable cable protection systems provide a safer method of passage for pedestrian traffic, vehicles and heavy duty equipment while protecting valuable electrical cables, cords and hose lines from damage.

To fit the needs of a wide variety of applications, we offer lidded models, drop over models, open top models, and low profile models constructed from all-weather polyurethane. We also offer rubber duct models for light applications.

- **World's largest cable protector manufacturer**
- **Checkers™ cable management systems are manufactured in the USA in Broomfield, CO**
- **We offer extensive accessories, such as ADA/DDA compliant access ramps, protector bridges, 45 & 90 degree turns and end caps**
- **Polyurethane construction is lighter and more durable than rubber imitations in extreme weather conditions**
- **Universal safety colors alerting all types of traffic to the product's presence**
- **Satisfies state and federal regulatory agencies**
- **Customized solutions, including logos molded into the product**
- **Multiple channel options so each cable and hose can have its own dedicated channel**
- **Non-conductive material insulates and protects cords and cables, as well as people**

LINEBACKER® SUPER HOSE BRIDGES create a pedestrian or vehicle bridge anywhere with our modular system. The Standard Bridge includes 2 female sections and 2 male sections, which makes two complete ramps that can accommodate hoses up to 5 in. outside diameter. The Super Bridge includes 3 female sections and 3 male sections, which makes two complete ramps that can accommodate hoses up to 10 in. outside diameter.



MODEL: CHHBS68

Material: UV Stabilized Polyurethane

- 100% recycled plastic construction
- Modular system
- The Standard Bridge can accommodate hoses up to 5" outside diameter
- The Super Bridge can accommodate hoses up to 10" outside diameter
- Industrial grade
- Features a 14,000 lb. per axle capacity

⚠ WARNING: This product can expose you to chemicals including Carbon Black, Titanium Dioxide, Formaldehyde, and Benzyl Butyl Phthalate, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

APPLICATIONS

- Civil Engineering and Construction
- Mining
- Industrial
- Infrastructure and Utilities Maintenance
- Heavy Duty
- Oil and Gas


SPECIFICATIONS

Model	Length	Width	Height	Weight	Description
CHHBS (Standard)	70 in. (177.8 cm)	24.5 in. (62.2 cm)	6.75 in. (17.2 cm)	240 lb. (109 kg)	Standard Hose Bridge
CHHBS68 (Super)	126 in. (320 cm)	24.5 in. (62.2 cm)	12.5 in. (31.8 cm)	540 lb. (245 kg)	Super Hose Bridge
CHCR	36 in. (91.4 cm)	24 in. (60.9 cm)	6.75 in. (17.1 cm)	52 lb. (23.6 kg)	Optional Curb Ramps
CH-HJ	N/A	N/A	N/A	N/A	Hose Bridge Joiner



MODEL: CHHBS

MODEL: CHHBS68





CHECKERS™

620 Compton St
Broomfield, CO 80020

PHONE: (800) 438-9336

FAX: (720) 890-4858

EMAIL: sales@checkers-safety.com

www.checkers-safety.com

A PRODUCT OF:



Justrite Safety Group is the leading source of safety equipment for flammables and hazardous materials storage and handling, asset protection, environmental protection spill containment, absorbents, specialized chemical storage, cable management, safety showers and eye/face washes, matting, and vehicle safety equipment. Learn more at Justrite.com, Checkers-safety.com, and Notrax.com.