




CHECKERS

Justrite Safety Group

FIREFLY SERIES ILLUMINATED 5-CHANNEL CABLE PROTECTOR

PRODUCT INFORMATION BROCHURE





PICTURED: FF5X125 IN USE

Checkers™ Cable Management offers the most extensive line of high performance cable/hose protection products in the world. These durable cable protection systems provide a safer method of passage for pedestrian traffic, vehicles and heavy duty equipment while protecting valuable electrical cables, cords and hose lines from damage.

To fit the needs of a wide variety of applications, we offer lidded models, drop over models, open top models, and low profile models constructed from all-weather polyurethane. We also offer rubber duct models for light applications.


- **World's largest cable protector manufacturer**
- **Checkers™ cable management systems are manufactured in the USA in Broomfield, CO**
- **We offer extensive accessories, such as ADA/DDA compliant access ramps, protector bridges, 45 & 90 turns and end caps**
- **Polyurethane construction is lighter and more durable than rubber imitations in extreme weather conditions**
- **Universal safety colors alerting all type of traffic to the product's presence**
- **Satisfies state and federal regulatory agencies**
- **Customized solutions, including logos molded into the product**
- **Multiple channel options so each cable and hose can have its own dedicated channel**
- **Non-conductive material insulates and protects cords/cable, as well as people**

THE ILLUMINATED FIREFLY 5-CHANNEL CABLE PROTECTOR has built-in battery-powered LED lights in the ramps and brightly colored lids for increased visibility in low light situations. Firefly cable protectors now have a Dog Bone connector to link with any Guard Dog Series or Yellow Jacket Series cable protection system.

Material: UV Stabilized Polyurethane

- High-visibility lid colors make it easily seen in low light
- Battery-powered LED lights built in to side ramps
- Non-illuminated models available
- Red or blue LEDs available
- Interconnects directly to a standard cable protector with a dog bone connection
- Protects cables and hoses up to 1.325" outside dia.
- All-weather polyurethane construction
- Features a load capacity of 21,000 lb./Axle (9,526 kg)

⚠ WARNING: This product can expose you to chemicals including Carbon Black, Titanium Dioxide, Formaldehyde, and Benzyl Butyl Phthalate, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



MODEL: FF5X125

APPLICATIONS

- Civil Engineering
- Construction
- Military Sites
- Infrastructure and Utilities Maintenance
- Transmission
- Entertainment

SPECIFICATIONS

Non- Illuminated Models	Length	Width	Height	Channel Width	Maximum Outside Diameter	Weight
FF5X125-BLU/B	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
FF5X125-O/B	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
FF5X125-Y/B	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
FF5X125-G/B	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
Illuminated Models	Length	Width	Height	Channel Width	Maximum Outside Diameter	Weight
FF5X125BLUB-BLU	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
FF5X125BLUB-R	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
FF5X125GB-BLU	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
FF5X125GB-R	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
FF5X125OB-BLU	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
FF5X125OB-R	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
FF5X125YB-BLU	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)
FF5X125YB-R	32 in. (81.28 cm)	19.75 in. (50.36 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	17 lb. (7.71 kg)



CHECKERS™

620 Compton St
Broomfield, CO 80020

PHONE: (800) 438-9336

FAX: (720) 890-4858

EMAIL: sales@checkers-safety.com

www.checkers-safety.com

A PRODUCT OF:



Justrite Safety Group is the leading source of safety equipment for flammables and hazardous materials storage and handling, asset protection, environmental protection spill containment, absorbents, specialized chemical storage, cable management, safety showers and eye/face washes, matting, and vehicle safety equipment. Learn more at Justrite.com, Checkers-safety.com, and Notrax.com.