



# CHECKERS

Justrite Safety Group

## EXTREME CROSSOVER SYSTEMS

PRODUCT INFORMATION BROCHURE



## CHECKERS™ EXTREME CROSSOVER PADS

provide protection for electrical cables used in mining and construction. Durable urethane construction withstands thousands of pounds of weight and endures constant pounding, impact and abrasion caused by haul trucks and falling rocks. Extensively tested and proven to be oil, chemical, abrasion, cut/tear and temperature resistant. Types 3 and 4 feature molded-in through-holes for tow chain attachment (chain not included). Type 5 includes heavy duty chain handle on each side. Crossover sections can be connected together for any length required. The use of crossover pads greatly improves safety and eliminates the cost and labor of burying, rerouting, or stringing cables overhead. Custom lengths available up to 50' on Type 5 models.



MODEL: X0118-2

### Material: UV Stabilized Polyurethane

- Protects cables & hoses in mining and construction
- Made from durable urethane that withstands over a million pounds gross vehicle weight
- Impact and abrasion resistant to trucks and falling rock
- Eliminates cost of trenching or rerouting cables
- Protects cables and hoses up to 5.5" outside dia.

**⚠️ WARNING:** This product can expose you to chemicals including Carbon Black, Titanium Dioxide, Formaldehyde, and Benzyl Butyl Phthalate, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).


### APPLICATIONS

- Civil Engineering and Construction
- Mining
- Industrial
- Infrastructure and Utilities Maintenance
- Heavy Duty
- Oil and Gas


## SPECIFICATIONS

### END VIEWS


#### TYPE 1




#### TYPE 2




#### TYPE 3




#### TYPE 4



#### TYPE 5 1 Channel




#### TYPE 5 2 Channel



Model	Description	A: Length	B: Width	C: Height	D: Step Height	E: Slot Size	Color	Weight
XO118-2	Type 1	24 in. (61.0 cm)	18 in. (45.7 cm)	4.5 in. (11.4 cm)	1 in. (2.5 cm)	2.5 in. (6.4 cm)	Orange	37 lb. (16.8 kg)
XO218-2	Type 2	24 in. (61.0 cm)	18 in. (45.7 cm)	4.5 in. (11.4 cm)	1 in. (2.5 cm)	3.0 in. (7.6 cm)	Orange	37 lb. (16.8 kg)
XO342-10	Type 3	120 in. (304.8 cm)	42 in. (106.7 cm)	7 in. (17.8 cm)	.75 in. (1.9 cm)	3.5 in. (8.9 cm)	Orange	852 lb. (386.5 kg)
XO342-CS-10	Closure Strip	120 in. (304.8 cm)	3.43 in. (8.7 cm)	3.3 in. (8.4 cm)	N/A	N/A	Orange	50 lb. (22.7 kg)
XO436-8	Type 4	96 in. (243.8 cm)	36 in. (91.4 cm)	5 in. (12.7 cm)	.75 in. (1.9 cm)	3.25 in. (8.3 cm)	Orange	415 lb. (188.2 kg)
XO436-CS-8	Closure Strip	96 in. (243.8 cm)	3.25 in. (8.3 cm)	3.375 in. (8.6 cm)	N/A	N/A	Orange	44 lb. (20 kg)
XO436-10	Type 4	120 in. (304.8 cm)	36 in. (91.4 cm)	5 in. (12.7 cm)	.75 in. (1.9 cm)	3.25 in. (8.3 cm)	Orange	518 lb. (235 kg)
XO436-CS-10	Closure Strip	120 in. (304.8 cm)	3.25 in. (8.3 cm)	3.375 in. (8.6 cm)	N/A	N/A	Orange	55 lb. (25 kg)
XO442-8	Type 4	96 in. (243.8 cm)	42 in. (106.7 cm)	7 in. (17.8 cm)	.75 in. (1.9 cm)	4.5 in. (11.4 cm)	Orange	610 lb. (277 kg)
XO442-CS-8	Closure Strip	96 in. (243.8 cm)	4.5 in. (11.4 cm)	5.375 in. (13.7 cm)	N/A	N/A	Orange	84 lb. (38.2 kg)
XO442-10	Type 4	120 in. (304.8 cm)	42 in. (106.7 cm)	7 in. (17.8 cm)	.75 in. (1.9 cm)	4.5 in. (11.4 cm)	Orange	852 lb. (387 kg)
XO442-CS-10	Closure Strip	120 in. (304.8 cm)	4.5 in. (11.4 cm)	5.375 in. (13.7 cm)	N/A	N/A	Orange	105 lb. (47.6 kg)





## TYPE 5 (1-CHANNEL)

Model	Description	A: Length	B: Width	C: Height	D: Step Height	E: Slot Size	Color	Weight
XO35-3-1-L10	Type 5 - 1-Channel	120 in. (304.8 cm)	35.5 in. (90.17 cm)	6.5 in. (16.51 cm)	.5 in. (1.27 cm)	3.5 in. (8.9 cm)	Orange or Black	858 lb. (390 kg)
XO35-3-1-L20	Type 5 - 1-Channel	240 in. (609.6 cm)	35.5 in. (90.17 cm)	6.5 in. (16.51 cm)	.5 in. (1.27 cm)	3.5 in. (8.9 cm)	Orange or Black	1,655 lb. (751 kg)
XO35-3-1-L30	Type 5 - 1-Channel	360 in. (914.4 cm)	35.5 in. (90.17 cm)	6.5 in. (16.51 cm)	.5 in. (1.27 cm)	3.5 in. (8.9 cm)	Orange or Black	2,454 lb. (1114 kg)
XO35-3-1-L40	Type 5 - 1-Channel	480 in. (1219.2 cm)	35.5 in. (90.17 cm)	6.5 in. (16.51 cm)	.5 in. (1.27 cm)	3.5 in. (8.9 cm)	Orange or Black	3,253 lb. (1476 kg)
XO39-4-1-L10	Type 5 - 1-Channel	120 in. (304.8 cm)	39.5 in. (100.33 cm)	7.5 in. (19.05 cm)	.5 in. (1.27 cm)	4.5 in. (11.4 cm)	Orange or Black	1,027 lb. (466 kg)
XO39-4-1-L20	Type 5 - 1-Channel	240 in. (604.6 cm)	39.5 in. (100.33 cm)	7.5 in. (19.05 cm)	.5 in. (1.27 cm)	4.5 in. (11.4 cm)	Orange or Black	1,995 lb. (905 kg)
XO39-4-1-L30	Type 5 - 1-Channel	360 in. (914.4 cm)	39.5 in. (100.33 cm)	7.5 in. (19.05 cm)	.5 in. (1.27 cm)	4.5 in. (11.4 cm)	Orange or Black	2,964 lb. (1345 kg)
XO39-4-1-L40	Type 5 - 1-Channel	480 in. (1219.2 cm)	39.5 in. (100.33 cm)	7.5 in. (19.05 cm)	.5 in. (1.27 cm)	4.5 in. (11.4 cm)	Orange or Black	3,932 lb. (1784 kg)

## TYPE 5 (1-CHANNEL)

Model	Description	A: Length	B: Width	C: Height	D: Step Height	E: Slot Size	Color	Weight
XO43-5-1-L10	Type 5 - 1-Channel	120 in. (304.8 cm)	43.5 in. (110.49 cm)	8.5 in. (21.59 cm)	.5 in. (1.27 cm)	5.5 in. (14.0 cm)	Orange or Black	1,209 lb. (549 kg)
XO43-5-1-L20	Type 5 - 1-Channel	240 in. (609.6 cm)	43.5 in. (110.49 cm)	8.5 in. (21.59 cm)	.5 in. (1.27 cm)	5.5 in. (14.0 cm)	Orange or Black	2,358 lb. (1070 kg)
XO43-5-1-L30	Type 5 - 1-Channel	360 in. (914.4 cm)	43.5 in. (110.49 cm)	8.5 in. (21.59 cm)	.5 in. (1.27 cm)	5.5 in. (14.0 cm)	Orange or Black	3,509 lb. (1592 kg)
XO43-5-1-L40	Type 5 - 1-Channel	480 in. (1219.2 cm)	43.5 in. (110.49 cm)	8.5 in. (21.59 cm)	.5 in. (1.27 cm)	5.5 in. (14.0 cm)	Orange or Black	4,659 lb. (2114 kg)

## TYPE 5 (2-CHANNEL)

Model	Description	A: Length	B: Width	C: Height	D: Step Height	E: Slot Size	Color	Weight
XO39-3-2-L10	Type 5 - 2-Channel	120 in. (304.8 cm)	39 in. (99.1 cm)	6.5 in. (16.51 cm)	.5 in. (1.27 cm)	3.5 in. (8.9 cm)	Orange or Black	915 lb. (416 kg)
XO39-3-2-L20	Type 5 - 2-Channel	240 in. (609.6 cm)	39 in. (99.1 cm)	6.5 in. (16.51 cm)	.5 in. (1.27 cm)	3.5 in. (8.9 cm)	Orange or Black	1,771 lb. (804 kg)
XO39-3-2-L30	Type 5 - 2-Channel	360 in. (914.4 cm)	39 in. (99.1 cm)	6.5 in. (16.51 cm)	.5 in. (1.27 cm)	3.5 in. (8.9 cm)	Orange or Black	2,628 lb. (1192 kg)
XO39-3-2-L40	Type 5 - 2-Channel	480 in. (1219.2 cm)	39 in. (99.1 cm)	6.5 in. (16.51 cm)	.5 in. (1.27 cm)	3.5 in. (8.9 cm)	Orange or Black	3,484 lb. (1581 kg)
XO47-4-2-L10	Type 5 - 2-Channel	120 in. (304.8 cm)	47 in. (119.4 cm)	7.5 in. (19.05 cm)	.5 in. (1.27 cm)	4.5 in. (11.4 cm)	Orange or Black	1,223 lb. (555 kg)
XO47-4-2-L20	Type 5 - 2-Channel	240 in. (604.6 cm)	47 in. (119.4 cm)	7.5 in. (19.05 cm)	.5 in. (1.27 cm)	4.5 in. (11.4 cm)	Orange or Black	2,387 lb. (1083 kg)
XO47-4-2-L30	Type 5 - 2-Channel	360 in. (914.4 cm)	47 in. (119.4 cm)	7.5 in. (19.05 cm)	.5 in. (1.27 cm)	4.5 in. (11.4 cm)	Orange or Black	3,552 lb. (1612 kg)
XO47-4-2-L40	Type 5 - 2-Channel	480 in. (1219.2 cm)	47 in. (119.4 cm)	7.5 in. (19.05 cm)	.5 in. (1.27 cm)	4.5 in. (11.4 cm)	Orange or Black	4,716 lb. (2140 kg)
XO51-5-2-L10	Type 5 - 2-Channel	120 in. (304.8 cm)	51 in. (133.6 cm)	8.5 in. (21.59 cm)	.5 in. (1.27 cm)	5.5 in. (14.0 cm)	Orange or Black	1,396 lb. (634 kg)
XO51-5-2-L20	Type 5 - 2-Channel	240 in. (609.6 cm)	51 in. (133.6 cm)	8.5 in. (21.59 cm)	.5 in. (1.27 cm)	5.5 in. (14.0 cm)	Orange or Black	2,733 lb. (1240 kg)
XO51-5-2-L30	Type 5 - 2-Channel	360 in. (914.4 cm)	51 in. (133.6 cm)	8.5 in. (21.59 cm)	.5 in. (1.27 cm)	5.5 in. (14.0 cm)	Orange or Black	4,070 lb. (1847 kg)
XO51-5-2-L40	Type 5 - 2-Channel	480 in. (1219.2 cm)	51 in. (133.6 cm)	8.5 in. (21.59 cm)	.5 in. (1.27 cm)	5.5 in. (14.0 cm)	Orange or Black	5,407 lb. (2453 kg)



**CHECKERS™**

620 Compton St  
Broomfield, CO 80020

**PHONE:** (800) 438-9336

**FAX:** (720) 890-4858

**EMAIL:** sales@checkers-safety.com

[www.checkers-safety.com](http://www.checkers-safety.com)

A PRODUCT OF:



**Justrite™**  
Safety Group

Justrite Safety Group is the leading source of safety equipment for flammables and hazardous materials storage and handling, asset protection, environmental protection spill containment, absorbents, specialized chemical storage, cable management, safety showers and eye/face washes, matting, and vehicle safety equipment. Learn more at [Justrite.com](http://Justrite.com), [Checkers-safety.com](http://Checkers-safety.com), and [Notrax.com](http://Notrax.com).